# New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of December 31, 2002 Hunterdon County Residents

1.	Current HIV/AIDS Category	Adult/Adolescent Cases %	*	Pediat Cases	ric *			Tota ases	ıl %
	AIDS-Any OI AIDS-CD4 Only HIV Only	21 25 30 36 # #		0 0 #	 0 0 #	 		21 30 34	25 35 40
	Total	# #		#	#		_	85	100
2.	Current Age * Cases %	3. Race/Eth.		Adult/ Cases	; %	Pediat	%	Tota Cases	%
	<pre> &lt;5  #  # 5-12  #  # 13-19  #  # 20-29  #  # 30-39  20  24</pre>	White, Not Hi Black, Not Hi Hispanic Other/Unknown	Ispanic Ispanic	63 16	75 19 # #	0 #	0 # 0 0	63 17 # #	74 20 # #
	40-49 43 51 50+ 18 21 Unk. 0 0	Total		#	#	#	#	85	100
	Total 85 100								
4.	Patient Group	Males	8		Female	es %	ion M	Tota	-
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	<u>-</u>	39 65 10 17 # # # # 9 15		# # 6	0 55 # # 27		1	39 48 22 27 # # # # .5 18
	Total		50 100		22	100			32 100
		Males	5 %	diatric	Female	:s %	n Mod	Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***		# # 0 0		#	#			# # 0 0
	Total		# 100		#	100			# 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- $^{\star}$  Classification based on current age at the end of December 2002.
- \*\* 2 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Hunterdon County Residents

Adult/Adolescent\*

1.	Disease Ca	Disease Category		Disease Category Cases			Deaths (%)	Cases	(%)	Death	Deaths (%)		Cases (%)		Deaths (%)	
	PCP Other OI w KS Alone No Disease			42 ( 30) ( 35) # # 47 ( 33)	34 ( 83) # # # # 17 ( 40)	#		‡ ‡	) ( .)	42 ( 53 ( # 47 (	37)	40 #	( 83) ( 75) # ( 40)			
	Total			142 (100)	93 ( 68)	#	(100)	+	: ( 33)	145 (	100)	94	( 67)			
2.	Age *	Cases	90	3. Race	/Eth.	Adult/A Cases		Pediatr Cases		Total Cases	%					
	Under 5	#	#	White	e, Not Hispanic	123	87	0	0	123	85					
	5-12	#	#	Black	k, Not Hispanic	15	11	#	67	17	12					
	13-19	0	0	Hispa	anic	#	#	#	#	5	3					
	20-29	14	10	Other	/Unknown	#	#	#	#	0	0					
	30-39	56	39													
	40-49	43	30	Tota	L	142	100	#	100	145	100					
	Over 49	29	20													
	Unknown	0	0													
	Total	145	100													

Pediatric\*

Total

. Patient Group	Adult/Adolescent Transmission Modes **										
	Males	%	Females	%	Total	왕					
Men sex with men (MSM)	82	71	0	0	82	58					
Injection drug user (IDU)	18	16	14	52	32	23					
MSM/IDU	#	#	0	0	#	2					
Heterosexual contact	#	#	5	19	#	#					
Risk not reported/other***	12	10	8	30	20	14					
Total	115	100	27	100	142	100					
		Pedia	tric Transmis	ssion Mo	des						
	Males	용	Females	%	Total	%					
Described the ATDC/IIII		100		100		100					

Males	왕	Females %	Total	%
#	100	# 100	#	100
0	0	0 0	0	0
#	100	# 100	#	100
	Males  # 0 	# 100 0 0	# 100 # 100 0 0 0 0	# 100 # 100 # 0 0 0 0 0

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of AIDS diagnosis.
- \*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Hunterdon County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate			
Before 1985	7	7	100%			
1985	6	6	100%			
1986	6	6	100%			
1987	6	6	100%			
1988	5	#	#			
1989	#	#	#			
1990	7	7	100%			
1991	9	8	89%			
1992	9	8	89%			
1993	24	16	67%			
1994	10	6	60%			
1995	12	7	58%			
1996	13	5	38%			
1997	7	0	0%			
1998	#	#	25%			
1999	5	#	#			
2000	5	#	#			
2001	5	0	0%			
2002	#	0	0%			
Total	145	94	65%			

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

### New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002 Hunterdon County Residents

24

100

38

1.	Age *	Cases	%	2.	Race/Ethnicity	Adult/ Cases		Pedia Cases	tric*		rotal ases	%
	Under 5	#	#		White, Not Hispanic	29	76	0	0		29	76
	5-12	#	#		Black, Not Hispanic	#	#	#	#		8	21
	13-19	0	0		Hispanic	#	#	#	#		#	#
	20-29	8	21		Other/Unknown	#	#	#	#		#	#
	30-39	19	49									
	40-49	6	15		Total	38	100	#	#		39	100
	Over 49	5	13									
	Unknown	0	0									
	Total	39	100									
3.	Patient Gr	oup			Adu	lt/Adole:	scent :	[ransmiss	ion Mode	es **		
					Males	%	Fer	males %		Total	%	
	Men sex wi	th men (M	ISM)		16	 59		0 0		16	42	
	Injection of	drug user	(IDU)		#	#		# #		10	26	
	MSM/IDU	_			#	#		# #		#	#	
	Heterosexua	al contac	:t		0	0		# #		#	#	

	Pediatric Transmission Modes						
	Males	%	Females %	Total	%		
Parent at risk/has AIDS/HIV	#	#	0 .	#	#		
Risk not reported/other***	0	0	0 .	0	0		
Total	#	#	0 .	#	#		

6

22

11 100

27 100

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Risk not reported/other\*\*\*

Total

- Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

# New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Hunterdon County Residents

1.	Current HI	V/AIDS Ca	ateanry				lescent *	Pe Ca:		liatr	ic *		Cas	Total	- %	
					Case	_										
	AIDS-Any C	Ι					#			#	#				53	
	AIDS-CD4 C				4					0	0			47		
	HIV Only						#			#	#			39	21	
	Total				18		100			#	#			.84	100	
								Adult				ediatı	ric*		То	otal
2.	Age *	Cases		3.	Race/E			Cases				ses	왕		Cases	% 
	Under 5	#	#		White,	Not	Hispanic	15	2	84		0	0		152	83
	5-12		0				Hispanic					#				14
	13-19		0		Hispan					#		#				3
	20-29		17		Other/	Unkr	nown			#			#			#
	30-39		41													
	40-49	41			Total			18	0	100		#	#		184	100
	Over 49	30														
	Unknown	#	**													
	Total	184	100													
4.	Patient Gr	oup					Ad	ult/Adol	es	cent	Trans	missio	on Mod	les **		
		_					Males	%			emales			Total		
	Men sex wi						98			_		0			 3 54	
	Injection						22	15			20	53		42	2 23	
	MSM/IDU	_					#	#			#	#		#	# #	
	Heterosexu	al contac	et				0	0				18		7		
	Risk not r						#	#			#	#		29	16	
	Total							100		_		100		180		
								Pedia	t.r	ic T	ransmi	ssion	Modes	3		
							Males	%		F	emales	%		Total		
	Parent at	risk/has		V							#				# #	
	Risk not r						0				0	0			0	
										-						

#

#

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

Total

- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Hunterdon County Residents

5.  $\mbox{HIV/AIDS}$  Cases by Year of First  $\mbox{HIV/AIDS}$  Diagnosis.

Year of First HIV/AIDS Diagnos	is Cases	Number Known Dead	Case-Fatality Rate		
Before 1985	9	9	100%		
1985	8	7	88%		
1986	10	8	80%		
1987	12	12	100%		
1988	7	5	71%		
1989	5	#	#		
1990	17	12	71%		
1991	11	9	82%		
1992	15	9	60%		
1993	18	9	50%		
1994	13	#	#		
1995	11	5	45%		
1996	16	#	#		
1997	9	0	0%		
1998	5	#	#		
1999	8	#	#		
2000	#	#	#		
2001	6	0	0%		
2002	#	#	#		
Unknown	#	#	#		
Total	184	99	 54%		

NOTE: Includes only those persons known to be infected with HIV.

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.